



Lowell Public School Committee

Special Meeting Agenda

Date: September 23, 2020
Time: 6:30PM
Location: City Council Chamber, 375 Merrimack Street, 2nd Floor, Lowell, MA 01852

1. **SALUTE TO FLAG**

2. **ROLL CALL**

3. **SPECIAL ORDER OF BUSINESS**

- 3.1. Communication Remote Participation:
Members Of The Public May View The Meeting Via LTC And Those Wishing To Speak Regarding A Specific Agenda Item Shall Register To Speak In Advance Of The Meeting By Sending Email To The Superintendent Indicating The Agenda Item And A Phone Number To Call So That You May Be Tele-Conferenced in to the meeting. Email Address Is mpalazzo@Lowell.k12.Ma.us If No Access To Email You May Contact at 978-674-4324.

4. **PERMISSION TO ENTER**

- 4.1. Permission To Enter: September 23, 2020

Documents:

[PTE - SEPTEMBER 23, 2020 1523.PDF](#)

5. **MOTIONS**

- 5.1. [By Andy Descoteaux]:

Have the Superintendent to provide the School Committee

sample copies of elementary, middle school, and high school schedule.

5.2. [By Michael Dillon Jr.]:

Request that Dr. Boyd set a firm date for teachers to return to school for in-person instruction pursuant to the current contract between the Lowell School Committee and the United Teachers of Lowell. The same date should be set for teachers to return to school for remote learning instruction.

6. REPORTS OF THE SUPERINTENDENT

6.1. School Opening Report

Documents:

SC DASHBOARD 09 21 20.PDF
FACILITIES UPDATE 9-23-20.PDF

7. ADJOURNMENT

Lowell Public Schools • 155 Merrimack Street • Lowell, MA 01852 • P: 978.674.4324 •
<http://www.lowell.k12.ma.us/>



PERMISSION TO ENTER

To: Joel D. Boyd, Superintendent of Schools

From: Billie Jo Turner, Assistant Superintendent for Finance and Business

Date: September 18, 2020

Subject: Permission to Enter – September 23, 2020 School Committee Meeting _____

NRT BUS, INC.

230 Main Street
North Reading, MA 01864

(Yr. 5) \$2,500,675.00

To exercise the option for the 2020-2021 school year for special needs out of district transportation contract.

Funding provided by the School Department Budget: SPED Transportation _____

ARAMARK EDUCATIONAL SERVICES, LLC

2400 Market Street
Philadelphia, PA 19107

(Yr. 2) \$9,229,185.00

To exercise the option for the 2020-2021 school year for cafe services and food.

Funding provided by the Milk & Lunch Revolving Account _____

CARAHSOFT

1143 Sunset Hills Road, Suite 100
Reston, VA 20190

\$ 38,800.00

To provide Zoom software license for district employees.

Funding provided by the CVRF School Re-Opening Grant _____

NRT BUS, INC.
230 Main Street
North Reading, MA 01864

\$258,300.00

To provide supplemental Special Education in-district busing, from September 28, 2020 to December 1, 2020, at rates charged for routes for in-district general busing necessitated by COVID-19 and the need for social distancing on buses due to capacity restrictions set by DESE. This will necessitate the use of up to 15 additional mini-buses at the current level of student demand and the utilization of bus monitors.

Funding provided by the School Department Budget: SPED Transportation

LPS Reopening Dashboard 09-21-20 @3:00pm

	Bailey	Cardinal	Greenhalge	Laura Lee	Lincoln	Adie Day	McAuliffe	McAvinne	Moody	Morey	Murkland	Paw. Memorial	Reilly	Shaughnessy	Washington	Bartlett	Pyne/Arts	STEM	Butler	Daley	Leblanc	Riverside/ BRIDGE	Robinson	Stoklosa	Sullivan	Wang	Career Academy	Lowell High & FA	
Instruction begins on day one																													
• Curriculum maps available and shared with all teachers	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
• All smart-boards are functioning	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	1	1	1	1	1	1	0	1	1	1	1	
• Total number of devices accessible/functioning	2	2	2	2	2	2	2	2	1	1	2	2	1	2	2	2	2	1	2	2	1	1	2	1	1	1	2	1	
• Instructional supplies available: Eureka Math Student workbooks	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	
• Instructional supplies available: Science Kits	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	
• Instructional supplies available: Caulkins Writing materials	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	N/A	
INSTRUCTIONAL SUPPORT																													
• IEP/504 availability/appropriate staff have access	1	2	1	1	1	1	1	1	1	2	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	2	1
• Finalize master schedule, appropriate safety breaks	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2
• Principal is aware of who is mentoring new staff	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	1	2	1	2	1	1	1	1	1	1	2	2
STAFFING																													
• Complete staffing and vacant positions	1	2	1	1	2	2	1	1	1	1	1	1	1	1	1	2	2	1	2	2	2	1	2	1	1	1	2	1	2
• Verify all teaching staff meet certification requirements; report issues to HR	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1
• Review teaching assignments for Article 16G compliance (MS/HS); report to HR	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	2	1	1
• Set schedule for parent/teacher nights and teacher afterschool meetings	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2
• Principal has a mechanism to introduce new staff	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
HEALTH AND SAFETY																													
• Check-in with school nurse/office on student immunizations, medication and allergies	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	2	1	2
Create a medical waiting room	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
• Staff identified to assist with student issues	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
• Finalize/file school safety plans	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1
Establish a bathroom break and sanitation plan	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1
PPE	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	2	1	2
STUDENTS																													
• Accurate schedules/classes	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	2
• School climate/safety procedures outlined	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1
SCHOOL BUILDINGS & FACILITIES																													
• Building condition/interior ready for students	3	1	1	1	1	1	2	1	2	1	1	1	1	1	1	2	2	2	1	1	1	1	1	1	1	1	2	2	2
• Classrooms ready to go	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2
• School grounds/exterior ready to receive students	1	1	2	1	1	1	2	1	1	1	1	1	1	1	1	2	1	1	1	2	1	1	1	1	1	1	1	1	1
• Ensure that fire equipment is operational	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	2	1	2	1	1	1	1	1	1	1
Requests for repairs relayed to Facilities Dept.	1	2	1	1	2	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	2	2	1
TRANSPORTATION																													
• Principals have received accurate/updated bus lists for 1st day of school	1	1	1	1	2	2	1	2	2	1	1	1	1	1	2	2	2	1	1	1	1	1	1	1	1	1	2	0	1

Lowell Public Schools

Facilities Update

School Committee Presentation - September 23, 2020



LOWELL
HIGH



Building Capacity for In-Person Learning

MA DEPARTMENT PUBLIC HEALTH INFORMATION	
Lowell- August 5, 2020- Percent Positivity (Last 14 days)	1.13
Lowell- August 12, 2020- Percent Positivity (Last 14 days)	1.18
Lowell-August 19, 2020- Percent Positivity (Last 14 days)	1.34
Lowell-August 26, 2020- Percent Positivity (Last 14 days)	1.18
Lowell-September 2, 2020- Percent Positivity (Last 14 days)	1.5
Lowell-September 9, 2020- Percent Positivity (Last 14 days)	1.74
Lowell-September 16, 2020- Percent Positivity (Last 14 days)	1.98
Average Daily Incidence Rate per 100,000	
12-Aug-20	2.24 green
19-Aug-20	2.9 green
26-Aug-20	2.4 green
2-Sep-20	4.2 yellow
9-Sep-20	5.9 yellow
16-Sep-20	6.4 yellow

**Revised as of 9/18/20*



Building Capacity for In-Person Learning

	Bailey	Cardinal	Greenhabe	Laura Lee	Lincoln	Adie Day	McAuffe	McAvinne	Moody	Morey	Murkland	Paw. Memorial	Shaughnessy	Washington	Earlett	Pyre/Arts	Stem	Butler	Daley	Leblanc	BRIDGE	Riverside	Robinson	Stokosa	Sullivan	Wing	Career Academy	Lowell High & FA
FACILITY																												
Windows which open	102	111	168	55	141	n/a	136	140	148	117	150	195	416	108	124	337	237	265	120	238	81	24	140	55	410	444	68	1270
Windows which do not open	62	9	1	2	33	n/a	70	0	0	0	52	0	0	14	0	19	8	15	0	10	0	0	0	0	0	0	0	250
Classroom Filters in Building	21	0	34	0	28	n/a	30	40	0	0	32	42	27	24	0	43	32	42	30	60	0	0	30	8	48	50	0	0
Classroom Filters remaining to be changed	0	0	0	0	0	n/a	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SAFETY EQUIPMENT																												
# of foggers needed for start of school (to be procured)	1	1	1	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	2	1	1	1	0	1
Foggers on hand now	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	5
# of handwashing stations needed for start of school	63	14	62	6	55	TBD	55	55	14	43	50	75	37	53	15	54	81	37	34	76	13	8	58	26	41	53	8	228
# of hand sanitizing stations now	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
# of hand sanitizing stations (to be procured)	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Air purifiers needed for start of school	24	9	30	6	31	14	34	44	16	32	29	39	30	26	26	34	42	55	28	26	11	8	47	46	43	43	11	202
Air purifiers on hand now	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Dividers/barriers planned for front desk (to be procured)	18	18	18	5	18	5	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	5	18	18	18	18	5	66
Dividers/barriers in place	7	5	7	5	7	5	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	5	7	7	7	7	5	30
BUILDING SUPPLIES																												
Hand Sanitizer (Gallons) 12 week supply	52	19	65	13	67	30	74	95	35	69	63	84	65	56	56	74	91	119	61	56	24	17	102	100	93	93	24	302
Hand Sanitizer (on hand)	32	12	40	8	44	20	48	60	24	48	44	60	44	40	40	48	60	92	40	40	16	8	80	80	60	60	16	224
100% Classroom Hand Sanitizer Pump Bottles in place	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Soap Dispensers In Place	63	14	62	6	55	12	55	55	14	42	50	75	37	53	15	54	81	37	34	76	13	8	58	26	41	53	8	228
100% Soap dispensers in place	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Betco Disinfectant Concentrate (yields 700 gallons/case)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4
Disinfectant Sprav Bottles (On Hand)	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	76
100% Disinfectant Sprav Bottles in place	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Waste Disposal Medium																												

*Revised as of 9/18/20



Building Capacity for In-Person Learning

	Bailey	Cardinal	Greenhalge	Laura Lee	Lincoln	Adie Day	McAuffe	McAvinue	Moody	Morey	Murkland	Paw. Memorial	Rielly	Shaughnessy	Washington	Bartlett	Pyne/Arts	Stem	Euter	Daley	Leblanc	RIVERSIDE BRIDGE	Riverside	Robinson	Stokosa	Sullivan	Wang	Career Academy	Lowell High & FA	
SAFETY MESSAGING - (In Place)																														
Social Distancing Signs (produced-placement by 17AUG)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Markings for Desk Spacing	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS	IN PROGRESS											
Bathroom Signage (produced- placement on 17AUG)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Elevator Signage (produced-placement by 17AUG)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Main Office Delivery Station and Protocol (In Place)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Food Service/Ops - Vendor Delivery Station and Protocol (In Place)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
PERSONAL PROTECTIVE EQUIPMENT (In Place)																														
Face Masks	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	500
Face Shields	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	40
Protective Gowns	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50
Nitrile Disposable Gloves	2000	2000	2000	2000	2000	2000	2000	2000	2000	2000	2000	2000	2000	2000	2000	2000	2000	2000	2000	2000	2000	2000	2000	2000	2000	2000	2000	2000	2000	4000
Alcohol Wipes	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	3600

**Revised as of 9/18/20*



Building Capacity for In-Person Learning - *Notes*

SCHOOLS	OPERABLE ROOMS	INOPERABLE ROOMS	ROOMS WITH INOPERABLE WINDOWS	QUARANTINE ROOMS
Bailey	111, 113, 118, 119, 123, 124, 126, 127, 128, 129, 003, 008, 009, 010, 013, 014	A117, A120, A125, A110, B105, A012, A009, Library, A106, Gym	115, 112, 114, 002, 011	A105
Bartlett	1, 5, 5A, 16, 17, 24, 40, 41, 42, 43, 45, 46, 48	4, Gym	N/A	Office Conference Room
Riverside (Bridge)	All classrooms can be used	N/A	N/A	Math Classroom
Butler	110, 116, 115, 121, 122, 125, 127, 128, 134, 135, 142, Cafeteria, Gym, 202, 201, 203, 208, 209, 216, 212, 217, 218, 223, 224, 227, 229, 230, 236, 237	138, Art Room, Library, Auditorium, 239, 206, 240, 205, 245	N/A	141
Cardinal O'Connell	1, 2, 3, 4, 5, 6, 7, 8	N/A	N/A	Resource Room



Building Capacity for In-Person Learning - *Notes*

SCHOOLS	OPERABLE ROOMS	INOPERABLE ROOMS	ROOMS WITH INOPERABLE WINDOWS	QUARANTINE ROOMS
Career Academy	101, 102, 103, 104, 106, 201, 202, 203, 204, 206, Cafeteria	N/A	N/A	106A
Daley	103, 104, 105, 106, 107, 109, 118, 120, 122, 129, 130, 132, 203, 204, 205, 206, 209, 210, 218, 220	307, 309, 311, 313	N/A	183
Greenhalge	102, 103, 104, 115, 201, 202, 204, 205, 206, 207, 208, 209, 210, 212, 301, 302, 303, 305, 306, 308, 309, 310, 311, 312	Concerns about the front stairwell/entry way not being completed	N/A	115
Leblanc	110, 111, 205, 206, 208, 209, B11	N/A	N/A	B05



Building Capacity for In-Person Learning - *Notes*

SCHOOLS	OPERABLE ROOMS	INOPERABLE ROOMS	ROOMS WITH INOPERABLE WINDOWS	QUARANTINE ROOMS
Lincoln	K102, K103, 105, 106, 107, 108, 111, 113, 204, 205, 208, 209, 212, 219, Psychologist and Speech rooms, Library	Gym, 207A, Counselor's Office, ETC room	N/A	127
Dr. Adie Day School	All rooms in use	N/A	N/A	13 (Supply Room)
Lowell High School	12, 16, 20, 102, 107, 109, 110, 114, 115, 117, 118, 119, 121, 123, 128, 131, 132, 133, 139, 147, 201, 207A, 207B, 214, 215, 216, 218, 223, 229, 230, 231, 234, 235, 305, 308, 311, 313, 316	9, 13, 14, 15, 18, 24, 25, 522, 523, 525, 526, 527, 528, 533, 535, 537, 542, 543, 545, 546, 547, 548, 550, 620, 622, 623, 624,	N/A	416



Building Capacity for In-Person Learning - *Notes*

SCHOOLS	OPERABLE ROOMS	INOPERABLE ROOMS	ROOMS WITH INOPERABLE WINDOWS	QUARANTINE ROOMS
McAuliffe	003, 004, 113, 114, 115, 116, 201, 202	Library, Gym, Art & Music Room	007, 008, 011, 107B, 108, 114, 200, 207, 208, Cafeteria, Main Office	111, 112, 117
McAvinnue	102, 103, 202, 203, 207, 208, 209, 211, 212, 302, 303, 308, 309	105, 106, 108, 109, 116, 116A, 214A, 226, 306A, 306B, Gym, Cafeteria	007, 008, 011, 107B, 108, 114, 200, 207, 208, Main Office	215
Moody	2, 4, 5, 7, 9, 11, 10, 12	N/A	N/A	29
Morey	101, 122, 126, 127, 131, 136, 137, 138, 139, 214, 219, 220, 224, 228, 232, 233, 237, 243, 244, 245, Cafeteria	107, 109, 111, 112, 113, 114, Library, Gym, ESL/Computer Lab	N/A	117



Building Capacity for In-Person Learning - *Notes*

SCHOOLS	OPERABLE ROOMS	INOPERABLE ROOMS	ROOMS WITH INOPERABLE WINDOWS	QUARANTINE ROOMS
Murkland	103, 104, 105, 106, 107, 108, 110, 111, 204, 205, 206, 207, 218, 219	N/A	202	109, 113
Pawtucketville Memorial	1038, 1041, 1043, 1067, 1068, 1069, 1071, 1072, 1073, 1076, 1077, 1078, 1081, 1082, 1083, 1084, 2003, 2004, 2005, 2018, 2021	Art & Music Room, 2005	N/A	1038
Pyne/Arts	1101, 1104, 1107, 1127, 1129, 1159, 1164, 1028, 0015, 0016, 0017, 0018, 0021, 1165, 1161, 1126, 1128, 1027, 1152, 0021, Gym	1015, 1016, 2008, Offices in basement, Cafeteria	N/A	Bathroom in nursing suite (adjacent to 1101)



Building Capacity for In-Person Learning - *Notes*

SCHOOLS	OPERABLE ROOMS	INOPERABLE ROOMS	ROOMS WITH INOPERABLE WINDOWS	QUARANTINE ROOMS
Reilly	PK1, PK3, K2, 102, 104, 202, 204, 206, 209, 302, 306, ,403, 405, Gym	Science Center, Computer Lab, OT/PT	N/A	203
Robinson	Art Room, Music Room, 102, 105, 106, 107, 112, 113, 204, 205, 218, 219, 220, 303, 304, 305, 308, 309, 314, 315, 316, Library, Cafeteria, Gym	117, 118, 119	N/A	200
STEM @ Rogers	54, 57, 61, 62, 221, 230, 233, 234, 211, 212, 116, 117, 140, 142, 135, 52, 58, 219, 220	N/A	N/A	Library Area



Building Capacity for In-Person Learning - *Notes*

SCHOOLS	OPERABLE ROOMS	INOPERABLE ROOMS	ROOMS WITH INOPERABLE WINDOWS	QUARANTINE ROOMS
Shaughnessy	A111, A112, A113, B122, B123, B130, B132, A116, A118, A124, A125, A201, A209, A210, A208, B204, B205, B213	Library, Gym, B105, B121, A117, A115, 202	N/A	A106
Stoklosa	B311, B111, B309, B204, B306, A213, B310, A209, B317, B315, A207, D116A, A215, A315, B106, A313, B110, A309, A131, A310, D117, B308, A307, B301, B304, B201, B116, B208, B115, B215, B114, B217, B105, B211, B209, B206, D116B, A133, A210	A214, A212, A217, A218, B214, B216, A314, A312, A317, B316, B314, A133-1, A133-2, D116-A, A108, C108	N/A	A131



Building Capacity for In-Person Learning - *Notes*

SCHOOLS	OPERABLE ROOMS	INOPERABLE ROOMS	ROOMS WITH INOPERABLE WINDOWS	QUARANTINE ROOMS
Sullivan	205, 111, 125, 101, 102, 113, 115, 110, 112, 116, 141, 201, 202, 203, 204, 209, 213, 215, 214, 218, 222, 223, 224, 226, 231, 233, 207	206, 208, 216, 237, 108, 129	N/A	125
Wang	129, 133, 140, 201, 202, 203, 211, 213, 215, 227, 228, 230, Cafeteria, Gym, 102, 150	N/A	N/A	109/111
Washington	101, 102, 106, 108, 109, 111, 113, 114, 201, 203, 206, 208, 209, 212	Basement Music Room	N/A	109