

June 17, 2015

ADDENDUM #1
RFP 15-100
Wastewater Floodwall Repairs

The number of this Addendum, Addendum No. 1, must be entered in the space provided on the Bid Form.

CLARIFY:

Section 1.01.C

All repairs to the Rosemont Floodwall must be done between the hours of 8:00 am to 5:00 pm. All repairs to the Lakeview Floodwall must be done between the hours of 7:00 am to 5:00 pm.

Section 2.01.F

Question – Is the concrete sealer a stain or acrylic coating?

Answer – The concrete sealer must be an acrylic protective coating and a light-gray color

Section 3.06

The Willseal Coreseal product must be used instead of the PVC Waterstop and the stainless steel plates. All removal, preparation, and dimensions still apply to the Willseal Coreseal product. The Willseal Coreseal must be a gray color. Preparation and application shall be in accordance with manufacturer's procedures. See the attached new bid form.

Section 3.08

Question – How many coats of concrete sealer?

Answer – 2-coats of concrete sealer must be applied and the CONTRACTOR must supply two 5 gallon buckets of the concrete sealer to the LRWWU

Secton 3.08

All surfaces to be applied with the concrete sealer must be power washed prior to application. Wash water may be supplied by the LRWWU.

Section 3.08

Approximately 6ft. by 10ft. concrete storage shed attached to the beginning of the Rosemont Floodwall must be power washed and the concrete sealer applied to the entire outside surface. Square footage of this storage shed was added to the total concrete sealer square footage of the bid form. See the attached new bid form.




REPLACE:

BID FORM

Scope of Work	Estimated Quantity	Unit Bid Price in Figures	Total Amount in Figures
Remove/Replace Flexible Sealant	764 linear feet	\$ _____ per linear feet	\$ _____
Repair/Patch Spalled/Cracked Joints	94 square feet	\$ _____ per square feet	\$ _____
Repair/Patch Deteriorated/Spalled Concrete Surfaces	290 square feet	\$ _____ per square feet	\$ _____
Pressure Sealing Existing Cracked Concrete Surfaces	43 linear feet	\$ _____ per linear feet	\$ _____
Willseal Coreseal Installation	7 linear feet	\$ _____ per linear feet	\$ _____

BASE BID SUBTOTAL IN FIGURES \$ _____

BASE BID SUBTOTAL IN WORDS \$ _____



ALTERNATE BID

Scope of Work	Estimated Quantity	Unit Bid Price in Figures	Total Amount in Figures
Concrete Sealer Application	19,067 square feet	\$ _____ per square feet	\$ _____

ALTERNATE BID SUBTOTAL IN FIGURES \$ _____

ALTERNATE BID SUBTOTAL IN WORDS \$ _____

BID TOTAL IN FIGURES \$ _____

(BASE BID SUBTOTAL + ALTERNATE BID SUBTOTAL)

BID TOTAL IN WORDS \$ _____

(BASE BID SUBTOTAL + ALTERNATE BID SUBTOTAL)

Sincerely

P. Michael Vaughn
Chief Procurement Officer