

Board of Health Meeting 8-5-2020

Failed Food Establishments

Life Alive – 194 Middle St – closed due to fire 5/31/2020 – Fire in bathroom vent and ceiling

Last three inspections - All passed

Reinspection - 6/3/2020 Compliance – Reopened

Pho Dalet Restaurant – 475 Chelmsford St 6/10/20 – Hood System out of service

Walk-in area unorganized

Last three inspections – All Passed

Reinspection – 6/17/2020 Compliance

Hala Foods – 1717 Middlesex St – 6/24/20 - meat cutting area unorganized and unkempt – clean immediately / Refrigerator unorganized / Evidence of mice droppings – must provide pest control receipt / Dirty floor

Last three inspections: All passed

Reinspection: 7/20/20 Compliance

V-Mart 125 Church St – 7/8/20 – Fire Extinguisher expired – Bathroom sink handle is broke – Mop sink area is a mess

Last three inspections: All passed

Reinspection: 7/17/20 waiting on Fire Extinguisher to be serviced

Last three inspections: 2 failed / 3 month inspection

Dollar General – 125 Church St – 7/8/20 – Fire Extinguisher expired

Last three inspections: All passed

Reinspection: Fire extinguisher scheduled to be serviced 8/4/20

Last three inspections: All passed

Los Amigos Market – 232 High St – 7/14/20 Serve Safe Certification expired

Reinspection: SS scheduled – gave 30 days

Last three inspections: 2 Failed / Est was clean – SS expired

International Ministry of Deliverias – 192 Appleton St – 7/20/20

Allergy Awareness expired – Fire extinguisher expired

Last three inspections: All passed

Reinspection: Both scheduled / gave 30 days

Roma Pizza – 638 Rogers St – 7/17/20

Allergy Awareness expired - Fire extinguisher expired

Last three inspections: All Passed

Reinspection: scheduled 7/31/20